



PCB Layout(Pattern side)

Circuit Diagram

PART NO		NO.1	
A	H	0	H
B	4.3	P	11
C	4.5	Q	11.5
D	5	R	12
E	5.5	S	12.5
F	6	T	13
G	6.5	U	13.5
H	7	V	14
I	7.5	W	15
J	8	X	16
K	8.5	Y	17
L	9	Z	18
M	9.5		19
N	10		15.5
	10.5		1

NO.2	
PART NO	vigor
1	90±30
2	130±30
3	180±30
4	250±30
5	350±50

NO.3	
PART NO	MATERIAL/QTY
S	SUS/1PC
C	C5210/1PC
D	SUS/2PCS
F	C5210/2PCS

NO.4-NO.5	
PART NO	NOTE
01~99	SERIAL NUMBER

ITEM	PART NAME	TER'NO.	QTY.	MATERIAL	FINISHING	REMARK
⑤	Terminal	—	4	Brass(0.30)	Plating silver	
④	Contact	—	1	F.Ag/SUS	—	
③	Base	—	1	Nylon	Black	
②	Cover	—	1	SPCC	Plating Nickel	
①	Keystoke	—	1	Nylon	Black	

APPROVALS		DATE	
DRAWN	J.X.Zhang	2014/3/21	
CHECKED			
APPROVALS			

TOLERANCES ARE		ANGLE		UNIT: mm		SCALE: 1:1	
30~12.5	±0.30	±2°					
10~30	±0.20						
5~10	±0.15						
~5	±0.10						

ECN NO.	REV.	DATE.	DESCRIPTION.	CHANGE.	CHECK.	APPRO.
	A		NEW			



HROE ELECTRONICS CO., LTD

TACT SWITCHS

PART NO. K2-1102DW-□□□□-□□

PROJ: □□□□

SHEET 1 OF 1